

List of publications, Leo Bonati

1. Featherstone R, Dobson J, Ederle J, Doig D, Bonati L, Morris S, Patel NS, Brown MM. Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (international carotid stenting study): A randomised controlled trial with cost-effectiveness analysis. *Health Technology Assessment*. 2015 Aug 3
2. Bonati L, Nederkoorn P. Clinical perspective of carotid plaque imaging. *Neuroimaging Clinics of North America*. 2015 Aug 18
3. Seiffge DJ, Van Hooff RJ, Nolte CH, Bejot Y, Turc G, Ikenberg B, Berge E, Persike M, Dequatre-Ponchelle N, Strbian D, Pfeilschifter W, Zini A, Tveiten A, Naess H, Michel P, Sztajzel R, Luft A, Gensicke H, Traenka C, Hert L, Scheitz JF, De Marchis G, Bonati LH, Peters N, Charidimou A, Werring DJ, Palm F, Reinhard M, Niesen WD, Nagao T, Pezzini A, Caso V, Nederkoorn P, Kaegi G, von Hessling A, Padjen V, Cordonnier C, Erdur H, Lyrer PA, Brouns R, Steiner T, Tatlisumak T, Engelter ST. Recanalization therapies in acute ischemic stroke patients: Impact of prior treatment with novel oral anticoagulants on bleeding complications and outcome - a pilot study. *Circulation*. 2015 Jul 31
4. Gensicke H, Bonati LH, ICSS-MRI substudy Investigators. Reply: Stent type and risk of late cerebral events after carotid artery stenting. *J Am Coll Cardiol*. 2015 Jul 28;66:490-491
5. Goeggel Simonetti B, Mono ML, Huynh-Do U, Michel P, Odier C, Sztajzel R, Lyrer P, Engelter ST, Bonati L, Gensicke H, Traenka C, Tettenborn B, Weder B, Fischer U, Galimanis A, Jung S, Luedi R, De Marchis GM, Weck A, Cereda CW, Baumgartner R, Bassetti CL, Mattle HP, Nedeltchev K, Arnold M. Risk factors, aetiology and outcome of ischaemic stroke in young adults: The swiss young stroke study (syss). *J Neurol*. 2015 Jun 12
6. Debette S, Compter A, Labeyrie MA, Uyttenboogaart M, Metso TM, Majersik JJ, Goeggel-Simonetti B, Engelter ST, Pezzini A, Bijlenga P, Southerland AM, Naggara O, Bejot Y, Cole JW, Ducros A, Giacalone G, Schilling S, Reiner P, Sarikaya H, Welleweerd JC, Kappelle LJ, de Borst GJ, Bonati LH, Jung S, Thijs V, Martin JJ, Brandt T, Grond-Ginsbach C, Kloss M, Mizutani T, Minematsu K, Meschia JF, Pereira VM, Bersano A, Touze E, Lyrer PA, Leys D, Chabriat H, Markus HS, Worrall BB, Chabrier S, Baumgartner R, Stapf C, Tatlisumak T, Arnold M, Boussier MG. Epidemiology, pathophysiology, diagnosis, and management of intracranial artery dissection. *Lancet Neurol*. 2015 Jun;14:640-654
7. Bonati L. Stenting or endarterectomy for patients with symptomatic carotid stenosis. *Neurol Clin*. 2015 May;33:459-474
8. Gensicke H, Ahlhelm F, Jung S, von Hessling A, Traenka C, Goeggel Simonetti B, Peters N, Bonati LH, Fischer U, Broeg-Morvay A, Seiffge DJ, Gralla J, Stippich C, Baumgartner RW, Lyrer PA, Arnold M, Engelter ST. New ischaemic brain lesions in cervical artery dissection stratified to antiplatelets or anticoagulants. *European journal of neurology : the official journal of the European Federation of Neurological Societies*. 2015 May;22:859-e861
9. Gensicke H, van der Worp HB, Nederkoorn PJ, Macdonald S, Gaines PA, van der Lugt A, Mali WP, Lyrer PA, Peters N, Featherstone RL, de Borst GJ, Engelter ST, Brown MM, Bonati LH, ICSS-MRI Substudy Investigators. Ischemic brain lesions after carotid artery stenting increase future cerebrovascular risk. *J Am Coll Cardiol*. 2015 Feb 17;65:521-529
10. Bonati LH, Dobson J, Featherstone RL, Ederle J, van der Worp HB, de Borst GJ, Mali WP, Beard JD, Cleveland T, Engelter ST, Lyrer PA, Ford GA, Dorman PJ, Brown MM, International Carotid Stenting Study Investigators. Long-term outcomes after stenting versus endarterectomy for treatment of symptomatic carotid stenosis: The international carotid stenting study (icss) randomised trial. *Lancet*. 2015 Feb 7;385:529-538
11. Debette S, Kamatani Y, Metso TM, Kloss M, Chauhan G, Engelter ST, Pezzini A, Thijs V, Markus HS, Dichgans M, Wolf C, Dittrich R, Touze E, Southerland AM, Samson Y, Abboud S, Bejot Y, Caso V, Bersano A, Gschwendtner A, Sessa M, Cole J, Lamy C, Medeiros E, Beretta S, Bonati LH, Grau AJ, Michel P, Majersik JJ, Sharma P, Kalashnikova L, Nazarova M, Dobrynina L, Bartels E, Guillon B, van den Herik EG, Fernandez-Cadenas I, Jood K, Nalls MA, De Leeuw FE, Jern C, Cheng YC, Werner I, Metso AJ, Lichy C, Lyrer PA, Brandt T, Boncoraglio GB, Wichmann HE, Gieger C, Johnson AD, Botthcher T, Castellano M, Arveiler D, Ikram MA, Breteler MM, Padovani A, Meschia JF, Kuhlensbaumer G, Rolfs A, Worrall BB, International Stroke Genetics C, Ringelstein EB, Zelenika D, Tatlisumak T, Lathrop M, Leys D, group C, Amouyel P, Dallongeville J, group C.

Common variation in *phactr1* is associated with susceptibility to cervical artery dissection. *Nat Genet.* 2015 Jan;47:78-83

12. Seiffge DJ, Traenka C, Gensicke H, Tsakiris DA, Bonati LH, Peters N, Lyrer P, Engelter ST. Intravenous thrombolysis in stroke patients receiving rivaroxaban. *Eur J Neurol.* 2014;21:e3-e4
13. Burow A, Lyrer PA, Nederkoorn PJ, Brown MM, Sztajzel R, Engelter ST, Bonati LH. Echographic risk index and cerebral ischemic brain lesions in patients randomized to stenting versus endarterectomy for symptomatic carotid artery stenosis. *Ultraschall Med.* 2014 Jun;35:267-272
14. Lyrer PA, Brandt T, Metso TM, Metso AJ, Kloss M, Debette S, Leys D, Caso V, Pezzini A, Bonati LH, Thijs V, Bersano A, Touze E, Gensicke H, Martin JJ, Lichy C, Tatlisumak T, Engelter ST, Grond-Ginsbach C, for the Cervical Artery Dissection and Ischemic Stroke Patients (CADISP) Study Group. Clinical importance of horner syndrome in internal carotid and vertebral artery dissection. *Neurology.* 2014 May 6;82:1653-1659
15. Altinbas A, Hendrikse J, Algra A, van Zandvoort MJ, Brown MM, Bonati LH, de Borst GJ, Kappelle LJ, van der Worp HB. Ipsilateral foetal-type posterior cerebral artery is associated with cognitive decline after carotid revascularisation. *BMC Neurol.* 2014 2014;14:84
16. Bonati LH, Ederle J, Dobson J, Engelter S, Featherstone RL, Gaines PA, Beard JD, Venables GS, Markus HS, Clifton A, Sandercock P, Brown MM, on behalf of the CAVATAS Investigators. Length of carotid stenosis predicts peri-procedural stroke or death and restenosis in patients randomized to endovascular treatment or endarterectomy. *int J Stroke.* 2014 Apr;9:297-305
17. Kloss M, Grond-Ginsbach C, Pezzini A, Metso TM, Metso AJ, Debette S, Leys D, Dallongeville J, Caso V, Thijs V, Bersano A, Touze E, Bonati LH, Tatlisumak T, Arnold ML, Lyrer PA, Engelter ST, Cervical Artery Dissection and Ischemic Stroke Patients (CADISP) Study Group. Stroke in first-degree relatives of patients with cervical artery dissection. *Eur J Neurol.* 2014 April 2
18. Seiffge DJ, Karagiannis A, Strbian D, Gensicke H, Peters N, Bonati LH, Kotisaari K, Leppa M, Kejda-Scharler J, Tranka C, Ginsbach P, Tatlisumak T, Lyrer PA, Engelter ST. Simple variables predict miserable outcome after intravenous thrombolysis. *Eur J Neurol.* 2014 Feb;21:185-191
19. Scheitz JF, Seiffge DJ, Tutuncu S, Gensicke H, Audebert HJ, Bonati LH, Fiebach JB, Tranka C, Lyrer PA, Endres M, Engelter ST, Nolte CH. Dose-related effects of statins on symptomatic intracerebral hemorrhage and outcome after thrombolysis for ischemic stroke. *Stroke.* 2014 Feb;45:509-514
20. Rostamzadeh A, Zumbunn T, Jongen LM, Nederkoorn PJ, Macdonald S, Lyrer PA, Kappelle LJ, Mali WP, Brown MM, van der Worp HB, Engelter ST, Bonati LH, on behalf of the ICSS-MRI Substudy Investigators. Predictors of acute and persisting ischemic brain lesions in patients randomized to carotid stenting or endarterectomy. *Stroke.* 2014 Feb;45:591-594
21. Calvet D, Mas JL, Algra A, Becquemin JP, Bonati LH, Dobson J, Fraedrich G, Jansen O, Mali WP, Ringleb PA, Chatellier G, Brown MM, Carotid Stenting Trialists Collaboration. Carotid stenting: Is there an operator effect? A pooled analysis from the carotid stenting trialists' collaboration. *Stroke.* 2014 Feb;45:527-532
22. Altinbas A, Algra A, Bonati LH, Brown MM, Kappelle LJ, de Borst GJ, Hendrikse J, van dT, I, van der Worp HB, ICSS Investigators. Periprocedural hemodynamic depression is associated with a higher number of new ischemic brain lesions after stenting in the international carotid stenting study-mri substudy. *Stroke.* 2014 Jan;45:146-151
23. van der Worp HB, Bonati LH, Brown MM. Carotid stenosis. *N Engl J Med.* 2013 Dec 12;369:2359
24. Touze E, Trinquart L, Felgueiras R, Rerkasem K, Bonati LH, Meliksetyan G, Ringleb PA, Mas JL, Brown MM, Rothwell PM, in collaboration with the Carotid Stenting Trialists Collaboration. A clinical rule (sex, contralateral occlusion, age, and restenosis) to select patients for stenting versus carotid endarterectomy: Systematic review of observational studies with validation in randomized trials. *Stroke.* 2013 Dec;44:3394-3400
25. Altinbas A, van Zandvoort MJ, van den Berg E, Algra A, de Borst GJ, Hendrikse J, Nederkoorn PJ, Bonati LH, Brown MM, Kappelle LJ, van der Worp HB. The effect of white matter lesions on cognition after carotid revascularization. *J Neurol Sci.* 2013 Nov 15;334:77-82
26. Gensicke H, Zinkstok SM, Roos YB, Seiffge DJ, Ringleb P, Artto V, Putaala J, Haapaniemi E, Leys D, Bordet R, Michel P, Odier C, Berrouschot J, Arnold M, Heldner MR, Zini A, Bigliardi G, Padjen V, Peters N, Pezzini A, Schindler C, Sarikaya H, Bonati LH, Tatlisumak T, Lyrer PA, Nederkoorn PJ, Engelter ST. Iv thrombolysis and renal function. *Neurology.* 2013 Nov 12;81:1780-1788

27. Bonati LH, Eckstein HH. Interventions for carotid stenosis: New evidence. *Eur J Vasc Endovasc Surg*. 2013 Nov;46:508-509
28. Engelter ST, Grond-Ginsbach C, Metso TM, Metso AJ, Kloss M, Debette S, Leys D, Grau A, Dallongeville J, Bodenant M, Samson Y, Caso V, Pezzini A, Bonati LH, Thijs V, Gensicke H, Martin JJ, Bersano A, Touze E, Tatlisumak T, Lyrer PA, Brandt T, for the Cervical Artery Dissection and Ischemic Stroke Patients (CADISP) Study Group. Cervical artery dissection: Trauma and other potential mechanical trigger events. *Neurology*. 2013 May 21;80:1950-1957
29. Abbott AL, Adelman MA, Alexandrov AV, Barber PA, Barnett HJ, Beard J, Bell P, Bjorck M, Blacker D, Bonati LH, Brown MM, Buckley CJ, Cambria RP, Castaldo JE, Comerota AJ, Connolly ES, Jr., Dalman RL, Davies AH, Eckstein HH, Faruqi R, Feasby TE, Fraedrich G, Głowiczki P, Hankey GJ, Harbaugh RE, Heldenberg E, Hennerici MG, Hill MD, Kleinig TJ, Mikhailidis DP, Moore WS, Naylor R, Nicolaides A, Paraskevas KI, Pelz DM, Prichard JW, Purdie G, Ricco JB, Ringleb PA, Riles T, Rothwell PM, Sandercock P, Sillesen H, Spence JD, Spinelli F, Sturm J, Tan A, Thapar A, Veith FJ, Wijeratne T, Zhou W. Why calls for more routine carotid stenting are currently inappropriate: An international, multispecialty, expert review and position statement. *Stroke*. 2013 Apr;44:1186-1190
30. Gensicke H, Seiffge DJ, Polasek AE, Peters N, Bonati LH, Lyrer PA, Engelter ST. Long-term outcome in stroke patients treated with iv thrombolysis. *Neurology*. 2013 March 5;80:919-925
31. Carotid Stenting Trialists Collaboration, Rantner B, Goebel G, Bonati LH, Ringleb PA, Mas JL, Fraedrich G. The risk of carotid artery stenting compared with carotid endarterectomy is greatest in patients treated within 7 days of symptoms. *J Vasc Surg*. 2013 Mar;57:619-626
32. Gensicke H, Zumbunn T, Jongen LM, Nederkoorn PJ, Macdonald S, Gaines PA, Lyrer PA, Wetzel SG, van der Lugt A, Mali WP, Brown MM, van der Worp HB, Engelter ST, Bonati LH, on behalf of the ICSS-MRI Substudy Investigators. Characteristics of ischemic brain lesions after stenting or endarterectomy for symptomatic carotid artery stenosis: Results from the international carotid stenting study-magnetic resonance imaging substudy. *Stroke*. 2013 Jan;44:80-86
33. Baumann-Bhalla S, Meier RM, Burow A, Lyrer P, Engelter S, Bonati L, Filippi A, Lambrecht JT. Recognizing calcifications of the carotid artery on panoramic radiographs to prevent strokes. *Schweiz Monatsschr Zahnmed*. 2012;122:1016-1029
34. Meckel S, Leitner L, Bonati LH, Santini F, Schubert T, Stalder AF, Lyrer P, Markl M, Wetzel SG. Intracranial artery velocity measurement using 4d pc mri at 3 t: Comparison with transcranial ultrasound techniques and 2d pc mri. *Neuroradiology*. 2012 Nov 10
35. Bonati LH, Lyrer P, Ederle J, Featherstone R, Brown MM. Percutaneous transluminal balloon angioplasty and stenting for carotid artery stenosis. *Cochrane Database Syst Rev*. 2012;9:CD000515
36. Bonati LH. Restenosis after carotid artery stenting: Remaining issues. *Lancet Neurol*. 2012 Sep;11:740-741
37. Bonati LH, Engelter ST, Lyrer PA. Carotid artery stenting. *Swiss Med Wkly*. 2012 Jul 19;142:w13619
38. Engelter ST, Amort M, Jax F, Weisskopf F, Katan M, Burow A, Bonati LH, Hatz F, Wetzel SG, Fluri F, Lyrer PA. Optimizing the risk estimation after a transient ischaemic attack - the abcde plus score. *Eur J Neurol*. 2012 Jan;19:55-61
39. Altinbas A, van Zandvoort MJ, van den BE, Jongen LM, Algra A, Moll FL, Nederkoorn PJ, Mali WP, Bonati LH, Brown MM, Kappelle LJ, van der Worp HB. Cognition after carotid endarterectomy or stenting: A randomized comparison. *Neurology*. 2011 Sep 13;77:1084-1090
40. Zinkstok SM, Vergouwen MD, Engelter ST, Lyrer PA, Bonati LH, Arnold M, Mattle HP, Fischer U, Sarikaya H, Baumgartner RW, Georgiadis D, Odier C, Michel P, Putaala J, Griebbe M, Wahlgren N, Ahmed N, van GN, de Haan RJ, Nederkoorn PJ. Safety and functional outcome of thrombolysis in dissection-related ischemic stroke: A meta-analysis of individual patient data. *Stroke*. 2011 Sep;42:2515-2520
41. Sarikaya H, Arnold M, Engelter ST, Lyrer PA, Mattle HP, Georgiadis D, Bonati LH, Fluri F, Fischer U, Findling O, Ballinari P, Baumgartner RW. Outcomes of intravenous thrombolysis in posterior versus anterior circulation stroke. *Stroke*. 2011 Sep;42:2498-2502
42. Engelter ST, Soenne L, Ringleb P, Sarikaya H, Bordet R, Berrouschot J, Odier C, Arnold M, Ford GA, Pezzini A, Zini A, Rantanen K, Rocco A, Bonati LH, Kellert L, Strbian D, Stoll A, Meier N, Michel P, Baumgartner RW, Leys D, Tatlisumak T, Lyrer PA. Iv thrombolysis and statins. *Neurology*. 2011 Aug 30;77:888-895

43. Amort M, Fluri F, Schafer J, Weisskopf F, Katan M, Burow A, Bucher HC, Bonati LH, Lyrer PA, Engelter ST. Transient ischemic attack versus transient ischemic attack mimics: Frequency, clinical characteristics and outcome. *Cerebrovasc Dis.* 2011;32:57-64
44. Schubert T, Santini F, Stalder AF, Bock J, Meckel S, Bonati L, Markl M, Wetzel S. Dampening of blood-flow pulsatility along the carotid siphon: Does form follow function? *AJNR Am J Neuroradiol.* 2011 Jun;32:1107-1112
45. Bonati LH, Fraedrich G, on behalf of the Carotid Stenting Trialists Collaboration. Age modifies the relative risk of stenting versus endarterectomy for symptomatic carotid stenosis--a pooled analysis of eva-3s, space and icss. *Eur J Vasc Endovasc Surg.* 2011 Feb;41:153-158
46. Carotid Stenting Trialists' Collaboration, Bonati LH, Dobson J, Algra A, Branchereau A, Chatellier G, Fraedrich G, Mali WP, Zeumer H, Brown MM, Mas JL, Ringleb PA. Short-term outcome after stenting versus endarterectomy for symptomatic carotid stenosis: A preplanned meta-analysis of individual patient data. *Lancet.* 2010 Sep 25;376:1062-1073
47. Brown MM, Featherstone RL, Bonati LH, International Carotid Stenting Study Investigators. Carotid artery stenting versus endarterectomy for carotid stenosis - authors' reply. *Lancet.* 2010 Jul 31;379:327-328
48. Bonati LH, Jongen LM, Haller S, Flach HZ, Dobson J, Nederkoorn PJ, Macdonald S, Gaines PA, Waaijer A, Stierli P, Jager HR, Lyrer PA, Kappelle LJ, Wetzel SG, van der Lugt A, Mali WP, Brown MM, van der Worp HB, Engelter ST, ICSS-MRI study group. New ischaemic brain lesions on mri after stenting or endarterectomy for symptomatic carotid stenosis: A substudy of the international carotid stenting study (icss). *Lancet Neurol.* 2010 Apr;9:353-362
49. International Carotid Stenting Study Investigators, Ederle J, Featherstone RL, Bonati LH, van der Worp HB, de Borst GJ, Lo TH, Gaines P, Dorman PJ, Macdonald S, Lyrer PA, Hendriks JM, McCollum C, Nederkoorn PJ, Brown MM. Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (international carotid stenting study): An interim analysis of a randomised controlled trial. *Lancet.* 2010 Mar 20;375:985-997
50. Bonati LH, Wetzel SG, Kessel-Schaefer A, Buser P, Lyrer PA, Engelter ST. Diffusion-weighted imaging findings differ between stroke attributable to spontaneous cervical artery dissection and patent foramen ovale. *European journal of neurology : the official journal of the European Federation of Neurological Societies.* 2010 Feb;17:307-313
51. Bonati LH, Ederle J, McCabe DJ, Dobson J, Featherstone RL, Gaines PA, Beard JD, Venables GS, Markus HS, Clifton A, Sandercock P, Brown MM, on behalf of the CAVATAS Investigators. Long-term risk of carotid restenosis in patients randomly assigned to endovascular treatment or endarterectomy in the carotid and vertebral artery transluminal angioplasty study (cavatas): Long-term follow-up of a randomised trial. *Lancet Neurol.* 2009 Oct;8:908-917
52. Ederle J, Bonati LH, Dobson J, Featherstone RL, Gaines PA, Beard JD, Venables GS, Markus HS, Clifton A, Sandercock P, Brown MM, on behalf of the CAVATAS Investigators. Endovascular treatment with angioplasty or stenting versus endarterectomy in patients with carotid artery stenosis in the carotid and vertebral artery transluminal angioplasty study (cavatas): Long-term follow-up of a randomised trial. *Lancet Neurol.* 2009 Oct;8:898-907
53. Lyrer PA, Fluri F, Gostynski M, Bonati L, Papa S, Jdacic-Gross V, Engelter ST. Stroke severity, its correlates and impact on thrombolysis in a population-based study. *Eur Neurol.* 2009;62:231-236
54. Engelter ST, Wetzel SG, Bonati LH, Fluri F, Lyrer PA. The clinical significance of diffusion-weighted mr imaging in stroke and tia patients. *Swiss Med Wkly.* 2008 Dec 13;138:729-740
55. Haller S, Bonati LH, Rick J, Klarhofer M, Speck O, Lyrer PA, Bilecen D, Engelter ST, Wetzel SG. Reduced cerebrovascular reserve at co2 bold mr imaging is associated with increased risk of periinterventional ischemic lesions during carotid endarterectomy or stent placement: Preliminary results. *Radiology.* 2008 Dec;249:251-258
56. Bonati LH, Wetzel SG, Gandjour J, Baumgartner RW, Lyrer PA, Engelter ST. Diffusion-weighted imaging in stroke attributable to internal carotid artery dissection: The significance of vessel patency. *Stroke.* 2008 Feb;39:483-485
57. Sutter R, Renaud S, Bonati L, Lyrer P, Tolnay M, Wetzel S, Ruegg S, Engelter S. Bilateral vertebral giant cell arteritis--favourable outcome in two cases. *J Neurol.* 2008 Jan;255:133-134

58. Wetzel S, Meckel S, Frydrychowicz A, Bonati L, Radue EW, Scheffler K, Hennig J, Markl M. In vivo assessment and visualization of intracranial arterial hemodynamics with flow-sensitized 4d mr imaging at 3t. *AJNR Am J Neuroradiol*. 2007 Mar;28:433-438
59. Engelter ST, Bonati LH, Lyrer PA. Intravenous thrombolysis in stroke patients of > or = 80 versus < 80 years of age--a systematic review across cohort studies. *Age Ageing*. 2006 Nov;35:572-580
60. Bonati LH, Kessel-Schaefer A, Linka AZ, Buser P, Wetzel SG, Radue EW, Lyrer PA, Engelter ST. Diffusion-weighted imaging in stroke attributable to patent foramen ovale: Significance of concomitant atrial septum aneurysm. *Stroke*. 2006 Aug;37:2030-2034
61. Bonati LH, Naegelin Y, Wieser HG, Fuhr P, Ruegg S. Beta activity in status epilepticus. *Epilepsia*. 2006 Jan;47:207-210
62. Bonati LH, Lyrer PA, Wetzel SG, Steck AJ, Engelter ST. Diffusion weighted imaging, apparent diffusion coefficient maps and stroke etiology. *J Neurol*. 2005 Nov;252:1387-1393